



Ronautica 330



ASKING PRICE € 19.330 BUILDING YEAR 2002

DIMENSIONS 9.62 x 3.25 x 1.65

BUILDING MATERIAL

GRP

BERTHINGSales marina

Dit jacht is gekeurd; keuringskosten koper € 426.50





GENERAL

Building number ESRON33055F200 Designer Barracuda Yacht Design Hullshape Roundbilge Shape of keel Finkeel Building material GRP Displacement Ca. 3.7 ton Bull st Ca. 1450 kg Hull finishing Yard Deck Flexteak Deck-cabins GRP Enclosed wheelhaus - Number of cabins 3 (inclusief salon) Bunks 5 Mast-clearance Ca. 15.0 meter Headroom-fore Ca meter Headroom alloon Ca. 1.85 meter Headroom aft-cabin Ca meter Window material Perspex Steering Wheel	Builder of the hull	Ronautica SA Vigo
Hullshape Roundbilge Shape of keel Finkeel Building material GRP Displacement Ca. 3.7 ton Ballast Ca. 1450 kg Hull finishing Yard Deck Flexteak Deck-cabins GRP Enclosed wheelhaus - Number of cabins 3 (inclusief salon) Bunks 5 Mast-clearance Ca. 15.0 meter Headroom-fore Ca meter Headroom saloon Ca. 1.85 meter Headroom aft-cabin Ca meter Window material Perspex	Building number	ESRON33055F200
Shape of keelFinkeelBullding materialGRPDisplacementCa. 3.7 tonBallastCa. 1450 kgHull finishingYardDeckFlexteakDeck-cabinsGRPEnclosed wheelhaus-Number of cabins3 (inclusief salon)Bunks5Mast-clearanceCa. 15.0 meterHeadroom-foreCa meterHeadroom saloonCa. 1.85 meterHeadroom aft-cabinCa meterWindow materialPerspex	Designer	Barracuda Yacht Design
Building material GRP Displacement Ca. 3.7 ton Ballast Ca. 1450 kg Hull finishing Yard Deck Flexteak Deck-cabins GRP Enclosed wheelhaus - Number of cabins 3 (inclusief salon) Bunks 5 Mast-clearance Ca. 15.0 meter Headroom-fore Ca meter Headroom aft-cabin Ca. 1.85 meter Headroom aft-cabin Ca meter Window material Perspex	Hullshape	Roundbilge
Displacement Ca. 3.7 ton Ballast Ca. 1450 kg Hull finishing Yard Deck Flexteak Deck-cabins GRP Enclosed wheelhaus - Number of cabins 3 (inclusief salon) Bunks 5 Mast-clearance Ca. 15.0 meter Headroom-fore Ca meter Headroom saloon Ca. 1.85 meter Headroom aft-cabin Ca meter Window material Perspex	Shape of keel	Finkeel
BallastCa. 1450 kgHull finishingYardDeckFlexteakDeck-cabinsGRPEnclosed wheelhaus-Number of cabins3 (inclusief salon)Bunks5Mast-clearanceCa. 15.0 meterHeadroom-foreCa meterHeadroom alloonCa. 1.85 meterHeadroom aft-cabinCa meterWindow materialPerspex	Building material	GRP
Hull finishingYardDeckFlexteakDeck-cabinsGRPEnclosed wheelhaus-Number of cabins3 (inclusief salon)Bunks5Mast-clearanceCa. 15.0 meterHeadroom-foreCa meterHeadroom aft-cabinCa meterWindow materialCa meter	Displacement	Ca. 3.7 ton
DeckFlexteakDeck-cabinsGRPEnclosed wheelhaus-Number of cabins3 (inclusief salon)Bunks5Mast-clearanceCa. 15.0 meterHeadroom-foreCa meterHeadroom saloonCa. 1.85 meterHeadroom aft-cabinCa meterWindow materialPerspex	Ballast	Ca. 1450 kg
Deck-cabinsGRPEnclosed wheelhaus-Number of cabins3 (inclusief salon)Bunks5Mast-clearanceCa. 15.0 meterHeadroom-foreCa meterHeadroom saloonCa. 1.85 meterHeadroom aft-cabinCa meterWindow materialPerspex	Hull finishing	Yard
Enclosed wheelhaus-Number of cabins3 (inclusief salon)Bunks5Mast-clearanceCa. 15.0 meterHeadroom-foreCa meterHeadroom saloonCa. 1.85 meterHeadroom aft-cabinCa meterWindow materialPerspex	Deck	Flexteak
Number of cabins3 (inclusief salon)Bunks5Mast-clearanceCa. 15.0 meterHeadroom-foreCa meterHeadroom saloonCa. 1.85 meterHeadroom aft-cabinCa meterWindow materialPerspex	Deck-cabins	GRP
Bunks5Mast-clearanceCa. 15.0 meterHeadroom-foreCa meterHeadroom saloonCa. 1.85 meterHeadroom aft-cabinCa meterWindow materialPerspex	Enclosed wheelhaus	-
Mast-clearanceCa. 15.0 meterHeadroom-foreCa meterHeadroom saloonCa. 1.85 meterHeadroom aft-cabinCa meterWindow materialPerspex	Number of cabins	3 (inclusief salon)
Headroom-foreCa meterHeadroom saloonCa. 1.85 meterHeadroom aft-cabinCa meterWindow materialPerspex	Bunks	5
Headroom saloonCa. 1.85 meterHeadroom aft-cabinCa meterWindow materialPerspex	Mast-clearance	Ca. 15.0 meter
Headroom aft-cabinCa meterWindow materialPerspex	Headroom-fore	Ca meter
Window material Perspex	Headroom saloon	Ca. 1.85 meter
· · · · · · · · · · · · · · · · · · ·	Headroom aft-cabin	Ca meter
Steering Wheel	Window material	Perspex
	Steering	Wheel

ENGINE

Brand and type	Volvo Penta
Building year	2002
Vermogen	19 pk (14 kW)
Fuel	Diesel
Fuelconsumption	Ca. 1.5 liter per uur
Transmission	Saildrive
Manchet saildrive	Ca. 2014 jaar
Cooling	Indirect
Fueltanks material	Plastic
Fuel tanks	Ca. 53 liter
R.P.M. gauge	+
Hourcounter	•
Oil pressure gauge	+
Temperature gauge	+
Bowprop	-
Hekschroef	•





RIGGING

Type of rigging	Sloop bermudian		
Material of spars	Aluminium		
Fittings	Stainless steel		
material stays	Stainless steel		
Material of sails	Dacron		
Color	White		
Mainsail	Fully battened mainsail	Age: 2014	make:
Other sails	Genoa	Age: 2014	make:
Reefing	Rolreef, maindropsystem		
Spinnaker pole	-		
Decksails	Sprayhood, zeilhuik		
Winches	4x		
Remarks	Carbon boegspriet		

ELECTRICAL SYSTEM

Batteries	1x 105Ah service 1x 65Ah start
Tension	12 V
Shore power	220 V
Battery Charger	+
Generator	•
Voltmeter	+
Amperemeter	-
Inverter	-

NAVIGATION

compass	Plastimo
echosounder	Raymarine ST60
Log	Raymarine ST60
airspeedindicator	Raymarine
marine radio telephone	Horizon
radio	+
Autopilot	Raymarine
plotter	Geonav 2014





GAZ AND WATER

Material watertanks	+	
Watertanks	Ca. 150 liter	
Water pressure system	Electric	
Hot water system	Boiler	
Indoor shower	1	
Toilet	1	
Holding tank	+, 30 liter	
Refridgerator	+	
Tankwell	+	
Stove	2-flame	
Stove fuel	Gaz	
Oven	+	
heating	Webasto	
Heating fuel	Diesel	

ON DECK

Second rudder control	-	
Material pulpit	Stainless steel	
Safety railing	Stainless steel	
Anchorwinch	-	
Swimming platform	Integrated	
Swimladder	-	
Anchorchain	-	

V.A.T. AND REGISTER

V.A.T.	Demonstrate
Registered	Not registered
Survey	Yes





PICTURES















